

# **PRESS RELEASE**

# Record Efficiency of 68.9% for GaAs Thin Film Photovoltaic Cell Under Laser Light

In addition to the classical applications for solar cells on roofs and open spaces, photovoltaic devices can also be used with laser light for efficient power transmission. At the 48<sup>th</sup> IEEE Photovoltaic Specialists Conference, researchers from the Fraunhofer Institute for Solar Energy Systems ISE recently presented how they were able to achieve a record conversion efficiency of 68.9% with a photovoltaic cell under monochromatic laser light. For this, the research team used a very thin photovoltaic cell made of gallium arsenide and applied a highly reflective, conductive mirror on the backside.

Photovoltaic cells convert light into electricity. The incoming light is absorbed in a cell structure, made of gallium arsenide semiconductor material, for example. The absorbed light sets positive and negative charges free, which are in turn conducted to the front and back cell contacts, generating electricity. This "photovoltaic effect" is particularly efficient when the energy of the incident light lies slightly above the so-called bandgap energy inherent to the semiconductor material. Thus, very high efficiencies are theoretically possible when a monochromatic laser as light source is matched with a suitable semiconductor compound material. In this new form of energy transfer, called power by light, the laser energy is delivered either through the air or via an optical fiber to a photovoltaic cell whose properties match the power and the wavelength of the monochromatic laser light. Compared to conventional power transmission via copper wires, power by light systems are especially beneficial for applications which require a galvanically isolated power supply, lightning or explosion protection, electromagnetic compatibility, or completely wireless power transmission, for example.

Researchers at Fraunhofer ISE have achieved a record conversion efficiency of 68.9 % for a III-V semiconductor photovoltaic cell based on gallium arsenide exposed to laser light of 858 nanometers. This is the highest efficiency achieved to date for the conversion of light into electricity. This success was made possible with a special thin film technology in which the solar cell layers are first grown on a gallium arsenide substrate which is then subsequently removed. A conductive, highly reflective mirror is applied to the back surface of the remaining semiconductor structure, which is only a few micrometers thick.

"This thin film approach has two distinct advantages for the efficiency," explains the physicist Dr. Henning Helmers, head of the Fraunhofer ISE research team. "First of all, photons are trapped in the cell and the absorption is maximized for photon energies close to the band gap, which simultaneously minimizes thermalization and transmission

PRESS RELEASE June 28, 2021 || Page 1 | 3


## FRAUNHOFER INSTITUTE FOR SO



losses, making the cell more efficient. Secondly, the photons additionally generated internally by radiative recombination become trapped and effectively recycled. This extends the effective carrier lifetime, thus additionally increasing the voltage."

The research group investigated thin film photovoltaic cells with back-surface reflectors made of gold and an optically optimized combination of ceramic and silver, with the latter showing the best results. An n-GaAs/p-AlGaAs heterostructure was developed as absorber, which shows particularly low charge carrier losses due to recombination.

"This is an impressive result that shows the potential of photovoltaics for industrial applications beyond solar power generation," says a delighted Prof. Andreas Bett, institute director of Fraunhofer ISE. Optical power transmission has manifold applications. Examples are the structural monitoring of wind turbines; the monitoring of high-voltage lines, fuel sensors in aircraft tanks, or passive optical networks; the optical supply of implants from outside the body; or a wireless power supply for applications in the Internet of Things.



The Fraunhofer ISE research team achieved a record conversion efficiency of 68.9% under monochromatic laser light with a new thin film photovoltaic cell based on gallium arsenide. ©Fraunhofer ISE / Henning Helmers

PRESS RELEASE June 28, 2021 || Page 2 | 3

## FRAUNHOFER INSTITUTE FOR SO



Further links: Website: <u>https://www.ise.fraunhofer.de/en/business-areas/photovoltaics/iii-v-and-concentrator-photovoltaics/power-by-light/characterization-of-laser-power-converters.html</u>

Open Access Publication: <u>https://doi.org/10.1002/pssr.202100113</u> Open Access Publication

PRESS RELEASE June 28, 2021 || Page 3 | 3

## FRAUNHOFER INSTITUTE FOR SO

The Fraunhofer-Gesellschaft, headquartered in Germany, is the world's leading applied research organization. With its focus on developing key technologies that are vital for the future and enabling the commercial exploitation of this work by business and industry, Fraunhofer plays a central role in the innovation process. As a pioneer and catalyst for groundbreaking developments and scientific excellence, Fraunhofer helps shape society now and in the future. Founded in 1949, the Fraunhofer-Gesellschaft currently operates 75 institutes and research institutions throughout Germany The majority of the organization's 29,000 employees are qualified scientists and engineers, who work with an annual research budget of 2.8 billion euros. Of this sum, 2.4 billion euros are generated through contract research.