



© SIA Aeronos Engineering

Knowing your blades at every moment

Wind energy stands as a beacon of sustainability, providing clean and renewable power to millions around the globe. At the heart of this green revolution are wind turbines, towering structures harnessing the power of the wind to generate electricity. However, ensuring the reliability and longevity of these turbines requires diligent maintenance, with blade condition monitoring emerging as a critical component in this endeavor.

Blade Condition Monitoring Systems (BCMS) have become essential for wind turbine operators aiming to optimize performance and minimize maintenance costs. These systems provide continuous real-time insight into blade condition, allowing operators to respond promptly to changes.

While the importance of BCMS is widely recognized in the industry, its integration

into a comprehensive inspection regime tailored to specific site conditions and turbine characteristics remains crucial for maximizing its effectiveness.

Types of continuous blade condition monitoring

Various systems and techniques can be applied to address specific and general

concerns related to blade condition and potential damage.

Monitoring structural condition, for example, is fundamental for ensuring the longevity and reliability of wind turbine blades. The main approaches used for this purpose are acoustic monitoring and vibration monitoring.



Structural acoustic monitoring is predominantly carried out internally and, in some cases, externally and is employed to detect anomalous sounds that may indicate structural issues within the blade. Internal acoustic sensors are strategically placed within the blade structure to identify changes in sound patterns, while external sensors monitor sounds emitted during operation.

This continuous monitoring is essential for early detection of developing structural faults, such as delamination or debonding of composite materials, which could compromise the integrity of the blade over time.

Vibration monitoring is vital for assessing the natural frequencies of turbine blades. Changes in these frequencies indicate variations in structural stiffness or the presence of cracks. By monitoring these vibrations, maintenance teams can identify potential structural issues before they become critical, allowing for targeted and timely repairs.

Blade surface condition monitoring is crucial for ensuring the safety and reliability of wind turbine operations. Surface cracks in key locations must be promptly addressed to prevent them from compromising the structural integrity of the blade. Continuous monitoring enables early detection of these cracks, allowing for proactive action to prevent catastrophic failures.

Acoustic monitoring presents an ideal solution for detecting blade surface damage. Various types of blade surface damage, such

as erosion, or lightning-induced damage, which generate unique acoustic signatures. These distinct sound emissions result from resonances, turbulent airflow and altered aerodynamic characteristics caused by surface irregularities.

Strategically placed acoustic sensors capture these unique sounds, providing valuable data on blade surface condition. As the blades rotate, the sensors continuously monitor the acoustic emissions, enabling real-time analysis. Advanced signal processing techniques, including machine learning algorithms, can then differentiate normal operational sounds from those indicative of surface damage.

Integrating blade surface acoustic monitoring with other condition monitoring systems enhances overall safety and maintenance efficiency. Lightning strikes for example can cause significant damage to turbine blades, leading to detectable surface irregularities through acoustic signals. Combining surface condition and lightning event monitoring allows operators to swiftly identify potential issues arising from lightning events and take prompt maintenance actions.

When it comes to blade operations monitoring, inertial sensors are the best way to monitor blade movements and alignment during turbine operation. Blade misalignment can lead to aerodynamic imbalances, which will reduce the overall efficiency and lifespan of the turbine. Continuous monitoring of blade alignment provides the data needed to optimise turbine performance.

Furthermore, monitoring operational parameters identifies abnormal loads or conditions contributing to accelerated wear and tear. Addressing alignment issues promptly enhances turbine operational efficiency and lifespan, ultimately improving energy production and reducing maintenance costs.

Because of their height and exposure, wind turbines are especially vulnerable to lightning strikes. Lightning event monitoring systems equipped with magnetic field sensors can detect lightning events in the vicinity of the turbine and confirm if the asset was struck by lightning, facilitating the implementation of lightning management regimes, including visual inspections after lightning events.

In addition to these systems, there are also data-as-a-service lightning solutions available. Combining these methods provides a comprehensive approach to lightning monitoring for wind turbines.

'Wind farm operators must know which turbines are struck to quickly identify potential damage,' says Allen Hall, CEO of Weather Guard Lightning Tech.

Regular monitoring ensures early detection of lightning events and keeps lightning

protection systems in optimal condition. By extending the monitoring focus to include down conductors, wind turbine operators can proactively address potential vulnerabilities in the lightning protection system, enhancing overall turbine resilience and minimising downtime associated with lightning-induced damage.

Regime for visual inspections and continuous monitoring

A robust regime for visual inspections and ongoing monitoring is essential for adapting to specific site risks. This regimen should include an inspection schedule which is based on condition monitoring and a thorough risk assessment, taking into account historical data and prevailing environmental conditions.

It is imperative that wind turbine inspection and monitoring plans are dynamic and responsive to ensure the safety and reliability of these vital energy sources. By tailoring inspection frequencies based on risk assessments, historical data, and environmental conditions, operators can proactively address potential issues and minimise the risk of unexpected failures. Furthermore, integrating continuous monitoring into the broader O&M strategy streamlines workflows and contributes to the overall efficiency and effectiveness of wind turbine maintenance practices.

Risk assessment considerations and expected outcomes

A recommended approach for selecting the inspection regime is a risk-based assessment. This assessment evaluates the likelihood of different blade damages and the potential consequences, guiding the visual inspection and blade condition monitoring regime. By mitigating risks, this approach minimizes overall blade operation and maintenance costs while prioritizing safety considerations. Additionally, the assessment should take into account blade uptime and annual energy production.

Expected outcomes include informed decision-making, where the risk assessment guides decision-making processes to ensure resource allocation aligns with prioritized risks. This leads to cost optimization by focusing on high-risk areas, minimizing overall operation and maintenance costs. Proactive monitoring also improves safety by identifying potential hazards before they escalate.

Key benefits of continuous blade health monitoring

Operators can derive numerous advantages from continuous blade condition monitoring. By swiftly detecting changes in blade condition, this approach allows for timely interventions, reducing costly downtime. Proactive monitoring supports predictive maintenance strategies, extending turbine

blade lifespan and cutting overall maintenance expenses. Operational parameters such as blade alignment are monitored to ensure optimal performance, minimizing load imbalances and potential damage.

Continuous monitoring is particularly valuable, as Feng Zhang from Wood Mackenzie notes a '25% reduction in blade repair cost and 30% blade replacement can be avoided if failure can be detected and repaired between annual inspections.' So real-time event detection not only empowers informed decisions but also prevents catastrophic failures and safeguards wind energy investments.

Early damage detection optimizes repair scheduling, minimizing downtime and repair costs. Comprehensive monitoring provides a holistic view of blade condition across sites or an entire fleet, enabling efficient resource allocation and targeted maintenance.

Trend analysis of blade condition supports proactive damage management, reducing the risk of expensive repairs. Continuous blade health monitoring helps asset managers transition from reactive to proactive maintenance, maximizing efficiency, safety, and return on investment in wind energy infrastructure.

Integration with condition-based maintenance strategies

BCMS is a fundamental aspect of condition-based maintenance (CBM) strategies. CBM enables predictive maintenance by continuously collecting and analysing data, reducing reliance on fixed-time maintenance or visual inspection schedules. This proactive approach minimises downtime, optimises maintenance resources, and extends the overall lifespan of wind turbine blades.

Integration with advanced analytics and machine learning algorithms is a promising way to enhance the predictive capabilities of condition monitoring systems. These technologies are the key to identifying subtle patterns and trends in the data,




providing early warnings for potential issues that would otherwise go unnoticed through traditional monitoring methods.

Considerations for remote monitoring

It is clear that remote and independent monitoring capabilities are becoming increasingly essential in the wind energy sector. Advanced communication technologies, such as satellite or cellular networks, guarantee real-time data transmission from the turbine site to centralised monitoring stations. This allows for prompt analysis of data, rapid response to alerts, and the implementation of maintenance actions, even in remote or offshore wind farms.

Integrating remote monitoring is the best way to improve maintenance efficiency and reduce the need for on-site inspections, minimising costs and risks. Furthermore, remote monitoring provides a more comprehensive understanding of turbine performance across entire wind farms, enabling strategic decision-making at the portfolio level.

The field of blade condition monitoring is dynamic and undergoing constant research and development to enhance the effectiveness and efficiency of monitoring systems. Emerging technologies, such as advanced sensors, artificial intelligence, and materials with self-monitoring capabilities, can and will optimise how turbine blades are monitored and maintained.



On-Tower, an example of an acoustic monitoring system

About eologix-ping

As experts in continuous blade health monitoring, we are dedicated to optimizing wind turbine performance.

Our advanced sensor systems detect critical events like damage, lightning strikes, and icing, providing essential data for informed decision-making.

The solutions seamlessly integrate, ensuring peace of mind and maximizing turbine efficiency.

eologix-ping.com